

# KINGHITTER

## PRODUCT GUIDE





# About


For over 45 years, Kinghitter has been world leaders in the design and manufacture of hydraulic post drivers. Ever since the first Kinghitter rolled off the production line in 1977, they have been recognised for their legendary reliability and cutting-edge design, paving the way for generations of fencers.

Kinghitter Postdrivers are 100% New Zealand manufactured to the highest standards by Farmgear Ltd. This brings a guarantee that you receive a product that will last a lifetime, while making fencing faster, safer, and easier than ever before.



# Dealers

KingHitter has got a nationwide dealer network, which sells, services, and provides parts for KingHitter products. Buying through a dealer means you have a local team ready to help with any questions or product requirements. This ensures you will experience a high level of customer service and support, no matter how old your machine is.





# Series 1

**“Uncomplicated, reliable and easy to use, perfect for farm maintenance fencing”**

The Series 1 Postdriver is designed to suit the Farmer or Lifestyle owner where fence lines or occasional fencing is required. An uncomplicated design and simple operation means that this affordable unit is a must have in your agriculture machinery inventory. As with the entire Kinghitter range, the Series 1 is manufactured to the highest standards using the best quality componentry available, to ensure reliability over a lifetime of use.

## S1 Standard Specifications:

- 180UB Mast
- Custom Built 3-Bank Valve
- Hydraulic Toplink and Angle Tilt
- 3 Point Linkage mount
- 25mm Postcap
- 9mm Wire Rope
- 230kg Hammer



## Series 1 Rear Mount Options

Code	Description
S1 400	4.0m Rigid Mast
S1 430HH	4.3m Hydraulic Hinging Mast, 4 Bank Valve

### S1 400 / Terminator Combo

- 4.0m Rigid Mast
- 230kg Hammer
- 4 Bank Hydraulic Valve
- **Terminator Base**
- 950mm Side Shift
- 230kg Counterweight



### S1 430 / Dairy Donger Combo

- 4.3m Hydraulic Hinging Mast
- 230kg Hammer
- 5 Bank Hydraulic Valve
- **Terminator Base**
- 950mm Side Shift
- 230kg Counterweight



### S1 430 Dominator Combo

- 4.3m Hydraulic Hinge Mast
- 230kg Hammer
- 6 + 2 Hydraulic Valve Banks
- **Dominator Rotational Base**
- 130 Degree Rotation
- 650mm Sliding Shift,
- 2x Hydraulic Legs,
- Hydraulic Toplink to Tractor



### A Frame Stand

### Rigid Side-Mount Frame



### Series 1 Options

Product Code	Description	Add Valves
CPAFS	A Frame Stand	-
KBN2	Rigid Side Mount Base	-
TERMINATOR	Side Mount Terminator Base	1
KALR2K	Leg Roller for Terminator Base	-
KVD	Additional Valves	-

# Series 2

**“Heavy Duty, Capable and Configurable, the Series 2 is the workhorse of the Kinghitter range”**

The Series 2 is a highly adaptable and durable post driver that can be adapted to suit any fencing and operator requirements. At the heart of the Series 2 is the heavy duty 150UC mast manufactured with premium 350 grade steel. This mast provides the ultimate combination of durability and rigidity for a long and hard-working life, while allowing strong fitment of Kinghitter accessories.

The Series 2 offers a huge range of configurations, including rear mount, side mount and rotational bases, along with a comprehensive range of accessories to suit your specific fencing requirements.

## S2 Standard Specifications:

- 150UC Heavy Duty Mast
- Custom Built 4-Bank Valve
- 250kg Hammer
- 3 Point Linkage Base
- 25mm Postcap
- 9mm Wire Rope
- Base & Accessory Ready



Terminator base not included as standard

## Series 2 Rear Mount Options

Code	Description	Height Under Postcap
S2 400	4.0m Rigid Mast, 1 Spare Valve	3.0m
S2 430	4.3m Rigid Mast, 1 Spare Valve	3.3m
S2 430HH	4.3m Hydraulic Hinging Mast	3.3m
S2 490HH	4.9m Hydraulic Hinging Mast	3.9m



### 400 Mastshift Combo

- 4.0m Rigid Mast
- 250kg Hammer
- 4 Bank Hydraulic Valve
- 300mm Mastshift
- Accessory Ready



### 400 Terminator Combo

- 4.0m Rigid Mast
- 250kg Hammer
- 4 Bank Hydraulic Valve
- Accessory Ready
- **Terminator Base**
- 950mm Side Shift
- 230kg Counterweight



### 400 Auger Combo

- 4.0m Rigid Mast
- 250kg Hammer
- 5 Bank Hydraulic Valve
- Auto Latch Auger Kit
- 100mm Auger



### 430 Rockspike Combo

- 4.3m Rigid Mast
- 270kg Hammer
- 4 Bank Hydraulic Valve
- Rockspike Kit with 90mm Spike
- 50mm Post Cap



### 430HH King Country Combo

- 4.3m Hydraulic Hinge Mast
- 270kg Hammer
- 6 Bank Hydraulic Valve
- Accessory Ready
- **King Country Base**
- 150mm rear shift
- 500mm mastshift



### 430HH Terminator / Mastshift Combo

- 4.3m Hydraulic Hinge Mast
- 270kg Hammer
- 300mm Mast Shift
- 6 Bank Hydraulic Valve
- Accessory Ready
- **Terminator Base**
- 950mm Side Shift
- 230kg Counterweight



### 430HH Dominator / Mastshift Combo

- 4.3m Hydraulic Hinge Mast
- 270kg Hammer
- 300mm Mastshift
- 6 + 4 Hydraulic Valve Banks
- Accessory Ready
- **Dominator Rotational Base**
- 130 Degree Rotation
- 650mm Sliding Shift,
- 2x Hydraulic Legs,
- Hydraulic Toplink to Tractor



# Series 2i

**“Designed for specialist applications and the ultimate in speed and usability”**

The Series 2i builds on the legendary Series 2's capability, featuring an innovative Hydraulics System for unmatched efficiency and usability. It recycles oil within its own system, eliminating the need for a high flow dump line. The system's valves control the dump of oil so that it matches the freefalling hammer speed, keeping the rope tensioned, minimizing rope “whip,” and reducing cycle time between hits.

With just two 1/2” quick release auxiliary lines, the S2i is fast and efficient to setup and interchange between machines, while also making it perfect for specialist applications such as excavator or skidsteer mounting.

## S2i Standard Specifications:

- 150UC Heavy Duty Mast
- Custom Built 4-Bank Valve
- “Interchangeable” Hydraulic's
- 3 Point Linkage Base
- 25mm Postcap
- 9mm Wire Rope
- Base & Accessory Ready
- 250kg Hammer



Compatible with all S2 Options  
Terminator base not included as standard

## Series 2i Options

Code	Description	Height Under Postcap
S2i 400	4.0m Rigid Mast	3.0m
S2i 430	4.3m Rigid Mast	3.3m
S2i 430	4.3m Hydraulic Hinge Mast	3.3m
S2i 490	4.9m Hydraulic Hinging Mast	3.9m



## Series 2 / 2i “Build Your Own” Options

Group	Product Code	Description	Add Valves
S2	S2400	4.0m Rigid Mast (4 Bank Valve as Standard)	-
	S2430	4.3m Rigid Mast (4 Bank Valve as Standard)	-
	S2430HH	4.3m Hydraulic Hinging Mast (4 Bank Valve as Standard)	-
	S2490HH	4.9m Hydraulic Hinging Mast (4 Bank Valve as Standard)	-
S2i	S2i400	4.0m Rigid Mast (4 Bank Valve as Standard)	-
	S2i430	4.3m Rigid Mast (4 Bank Valve as Standard)	-
	S2i430HH	4.3m Hydraulic Hinging Mast (4 Bank Valve as Standard)	-
	S2i490HH	4.9m Hydraulic Hinging Mast (4 Bank Valve as Standard)	-
Hammer	KH2250K	250kg Hammer (Standard)	-
	KH2270K	270kg Hammer	-
	KH2300K	300kg Hammer	-
Mount	KS2H30K	300mm Mastshift Base	1
	KS2H40K	400mm Mastshift Base	1
	KSKC50K	500mm x 150mm Shift King Country Base	2
Bases	TERMINATOR	Terminator Side Mount Base	1
	SUPERPRO	Superpro Sidemount Base	1
	DOMINATOR	Dominator Rotational Base	5
	DOMINATOR	Dominator Counterweight (120kg)	-
	DOMINATOR	Dominator Counterweight (240kg)	-
	KB5	Series 5 Rotational Base	7
	KDH2	Excavator Base, Excluding Hitch Connector (Best Paired with S2i) -	-
	KBS2	Skid Steer Base (Best Paired with S2i)	-
Legs	-	Adjustable Height Legs (Included as Standard)	-
	-	Hydraulic Legs (each)	1
	KALR2K	Leg Roller	-
Rockspike	KAR2	Manual Positioning Rockspike Extractor	1
	KAR2R	Hydraulic Positioning Rockspike Extractor	2
	KART90K	90mm Rockspike	-
	KART130K	130mm Rockspike	-
Auger	KAA2A	Auto Latch Auger Kit	2
	KAE3H	3” Anti-Clockwise Auger	-
	KAE4H	4” Anti-Clockwise Auger	-
	KAE5H	5” Anti-Clockwise Auger	-
	KAE6H	6” Anti-Clockwise Auger	-
	KAE8H	8” Anti-Clockwise Auger	-
Rockspike + Auger	KAR2 & KAC2	Manual Positioning Extractor/Auger Combo (Excl Rockspike & Augers)	2
	KAR2K & KAL2	Hydraulic Positioning Extractor/Auger Combo (Excl Rockspike & Augers)	3
	KAR2 & KADT	Manual Positioning Extractor/Torque Drill Combo (Excl Rockspike & Augers)	2
	KAR2R & KADT	Hydraulic Positioning Extractor/Torque Drill Combo (Excl Rockspike & Augers)	3
Torque Drill	KADL100	100mm Anticlockwise Rock Auger	-
	KADL150	150mm Anticlockwise Rock Auger	-
	KADL200	200mm Anticlockwise Rock Auger	-
	KADL250	250mm Anticlockwise Rock Auger	-
Valves	KVD	Additional Valves	-

Notes

# Fencetech

**“The true heavyweight in postdrivers. When you think heavy duty, think FENCETECH”**

The FENCETECH range is engineered to withstand the harshest of New Zealand fencing conditions. It utilises a heavy duty 150UC mast with full 6mm Bisalloy steel plate reinforcing, to provide maximum rigidity and durability. It also features triple top pulleys for reduced rope wear and an oversized 75mm main pivot pin for maximum strength in this critical area.

Nylon inserts in the hammer and postcap slides also enforce the exceptional performance and durability that FENCETECH delivers day in, day out.



- FenceTech Standard Specifications:**
- 4.9m 150UC Mast with 6mm Bisalloy Steel Facing
  - Lead Filled 340kg Hammer with nylon slides.
  - Heavy Duty 50mm Postcap with Nylon inserts
  - Custom Built 6-Bank Valve
  - 75mm Main Pivot Pin
  - 400mm Mast Shift
  - Triple Top Pulleys

Compatible with Rockspike & Torque Drill  
\*Accessories not included as standard



50mm Heavy Duty Postcap with Nylon Inserts



6mm Bisalloy Reinforced Mast  
340kg Lead Filled Hammer



400mm Mastshift

## Fencetech Options

Code	Description
FENCETECH 490	4.9m Hydraulic Hinging Mast, 400mm Mastshift



## FenceTech / SuperPro / Mastshift Combo

- 4.9m Hinging Mast
- 340kg Hammer
- 400mm Mastshift
- 6 Bank Hydraulic Valve
- 50mm HD Postcap
- 75mm Pivot Pin
- Tripple Top Pulleys
- **SuperPro Sidemount Base**
- 1000mm Side Shift
- 340kg Counterweight
- Replacable nylon inserts



## FenceTech / Dominator / Mastshift Combo

- 4.9m Hinging Mast
- 340kg Hammer
- 400mm Mastshift
- 6 + 5 Hydraulic Valve Banks
- 50mm HD Postcap
- 75mm Pivot Pin
- Tripple Top Pulleys
- **Dominator Rotational Base**
- 130 Degree Rotation
- 650mm Sliding Shift,
- 2x Hydraulic Legs,



## Fencetech Accessory Options

Group	Product Code	Description	Add Valves
Hammer	KHF400K	400kg Lead Filled Hammer Upgrade	-
Base	SUPERPRO	SuperPro Base	1
	KB5	Series 5 Rotational Base	7
	DOMINATOR	Dominator Base	5
	DOMINATOR	Dominator Base Counterweight (240kg)	-
Legs	-	Hydraulic Legs (each)	1
	KALR2K	Leg Roller	-
Rockspike	KAR2	Manual Positioning Rockspike Extractor	1
	KAR2R	Hydraulic Positioning Rockspike Extractor	2
	KART90K	90mm Rockspike	-
	KART130K	130mm Rockspike	-
Torque Drill	KAR2 & KADT	Manual Positioning Extractor/Torque Drill Combo (Excl Rockspike & Augers)	2
	KAR2R & KADT	Hydraulic Positioning Extractor/Torque Drill Combo (Excl Rockspike & Augers)	1
	KADL100	100mm Anticlockwise Rock Auger	-
	KADL150	150mm Anticlockwise Rock Auger	-
	KADL200	200mm Anticlockwise Rock Auger	-
	KADL250	250mm Anticlockwise Rock Auger	-
Valves		Additional Valves	-

# Expander

## “The Ultimate Combination of Design and Performance”

The Expander showcases the design & engineering capability of the Kinghitter research & development team. It features a telescopic mast that extends from 3.2m-5.1m, allowing for driving of any standard post in any terrain or environment, even when headroom is limited. This design eliminates the need to hinge the mast for transport, providing a fast and highly capable postdriver that will simply build fences faster.

There's no compromise with strength & hitting ability either, the Expander receives a full 6mm Bisalloy reinforced mast and an optional 340kg Lead-Filled Hammer upgrade for unrivalled performance.

### Expander Standard Specifications:

- 3.2m - 5.1m Expanding Mast
- 300kg Hammer
- 300mm Mastshift
- Custom Built 6-Bank Valve
- 50mm Heavy Duty Postcap
- Hydraulic Toplink & Sidetilt
- 6mm Bisalloy Reinforced Mast



Accessories not included as standard



### Expander Options

Code	Description
Expander M/S	3.2m-5.1m Expanding Mast, 300mm Mastshift Base



## Terminator / Mastshift Combo

- 3.2m - 5.1m Expanding Mast
- 300kg Hammer
- 300mm Mastshift
- 6 Bank Valve
- **Terminator Base**
- 950mm Side Shift
- 230kg Counterweight



## Dominator / Mastshift Combo

- 3.2m - 5.1m Expanding Mast
- 300kg Hammer
- 300mm Mastshift
- 6 + 4 Hydraulic Valve Banks
- **Dominator Rotational Base**
- 130 Degree Rotation
- 650mm Sliding Shift,
- 2x Hydraulic Legs,
- Hydraulic Toplink to Tractor



## Series 5 Combo

- 3.2m - 5.1m Expanding Mast
- 300kg Hammer
- 6 + 6 Hydraulic Valve Banks
- **Series 5 Rotational Base**
- 180 Degrees Rotation,
- 1550mm Sliding Shift,
- 200mm slew shift,
- 2x Hydraulic Legs,
- Hydraulic Toplink to Tractor



## Expander Accessory Options

Group	Product Code	Description	Add Valves
	KHF340K	340kg Lead Filled Hammer Upgrade	-
Base	KSEH40	400mm Mastshift Upgrade	1
	KMAT51EM	500mm x 150mm 4-way King Country Base	2
	TERMINATOR	Terminator Side Mount Base	1
	SUPERPRO	Superpro Side Mount Base	1
	DOMINATOR	Dominator Rotational Base	5
	DOMINATOR	Dominator Base Counterweight (240kg)	-
	KB5	Series 5 Rotational Base	7
Legs	KF2EH	Hydraulic Leg	1
	KALR2	Leg Roller	-
Rockspike	KARE	Manual Positioning Rockspike Extractor	1
	KARER	Hydraulic Positioning Rockspike Extractor	2
	KART90K	90mm Rockspike	-
	KART130K	130mm Rockspike	-
Auger	KAAE	Auto Latch Auger Kit	2
	KAE3H	3" Anti-Clockwise Auger	-
	KAE4H	4" Anti-Clockwise Auger	-
	KAE5H	5" Anti-Clockwise Auger	-
	KAE6H	6" Anti-Clockwise Auger	-
	KAE8H	8" Anti-Clockwise Auger	-
Rockspike + Auger	KARCME	Manual Positioning Extractor/Auger Combo (Excl Rockspike & Augers)	2
	KARER	Hydraulic Positioning Extractor/Auger Combo (Excl Rockspike & Augers)	3
	KARE + KADT	Manual Positioning Extractor/Torque Drill Combo (Excl Rockspike & Augers)	2
	KARER	Hydraulic Positioning Extractor/Torque Drill Combo (Excl Rockspike & Augers)	3
Torque Drill	KADL100	100mm Anticlockwise Rock Auger	-
	KADL150	150mm Anticlockwise Rock Auger	-
	KADL200	200mm Anticlockwise Rock Auger	-
	KADL250	250mm Anticlockwise Rock Auger	-
Valves	KVD	Additional Valves	-

# Bases



## Mastshift

Mastshift is mast mount option that allows the mast to shift side to side when in the rear mount position. This movement becomes forward and backward when paired with the terminator side mount base, giving the mast 4-way shift.

No. Of Additional Valves Required: 1

## King Country

The King Country Base is the ultimate setup when it comes to rear mount postdrivers. Lightweight, compact, and with a huge range of shift, this base is very popular with fencing contractors working on steep terrain.

It combines a built in rear shift on the pivot pin with 150mm travel, and a side shift of 500mm, to result in 4-way movement.

No. Of Additional Valves Required: 2



## Terminator

The Terminator base mounts the postdriver in a side facing position and provide a massive 950mm of side shift. This allows the operator to drive alongside the fenceline and simply slide the postdriver into line with the pull of a lever. Multiple tool mounts and large toolbox makes general fencing faster, easier and safer than ever before.

No. Of Additional Valves Required: 1



## SuperPro

The Kinghitter Superpro Base is a top of the line sidemount unit with 1000mm of travel, larger 340kg counterweight and full nylon inserts. This base is designed specifically for Fencing contractors, and is a great match to the Series 2, Fencetech or Expander post drivers.

No. Of Additional Valves Required: 1







## Dominator

The Dominator Base is an extremely capable rotational post driver base. It features a central pivot and sliding shift to allow the postdriver to reach almost anywhere behind the tractor with ease. Included with hydraulic legs and hydraulic topline to tractor as standard, along with full adjustable nylon inserts, this base provides a professional grade package at an affordable price.

- 130 Degree Rotation
- 650mm Sliding Shift
- Two Hydraulic Legs
- Hydraulic Toplink to Tractor
- Lockable Toolbox

No. Of Additional valves required: 5

## Series 5

The Series 5 base combines a huge rear shift on a main carriage frame and a slew ring pivot system with 180 degrees rotation to result in a massive 6m3 of operating area. Another sliding shift is incorporated into the slew ring design, while a secondary shift works in conjunction with the main carriage shift to provide additional reach out each side of the tractor.

- Main Carriage Shift - 1,550mm
- Secondary Side Shift - 300mm
- Slew Ring Shift - 200mm
- Rotation – 180 Degrees
- Two Hydraulic Legs
- Hydraulic Toplink to Tractor
- Optional Rotator Kit to rotate the base from the tractor cab.

\*No. Of additional Valves required: 7



Skidsteer



## Specialist

The Skid Steer and Excavator Bases convert the 3 point linkage on the post driver to suit skid steer and excavator mounting.

No. Of Additional valves required: 0

Excavator Base



## Base Options & Pricing

Group	Product Code	Description	Add Valves
Rear Mount	KS2H30K	300mm Mastshift Base (+ \$1,000 if retrofitting)	1
	KS2H40K	400mm Mastshift Base (+ \$1,000 if retrofitting)	1
	KSKC50K	King Country Base	2
Side Mount	KBN2	Rigid Side Mount Base	0
	TERMINATOR	950mm Terminator Side Mount Base	1
	SUPERPRO	1000mm Superpro Side Mount Base	1
Specialist	KBS2	Skidsteer Base (incl topline)	-
	KDH2	Excavator Base (Excluding Hitch Connector)	-
Rotational	DOMINATOR	Dominator Rotational Base	5
	DOMINATOR	Dominator Counterweight 120kg	-
	DOMINATOR	Dominator Counterweight 240kg	-
	KB5	Series 5 Rotational Base (incl topline)	7
Valves	KVD	Additional Valves	-

# Accessories



## Auto Latch Auger Kit

The Auto-Latch Auger Kit is a capable and user-friendly auger system that utilises a hydraulic ram to provide downforce and extract the auger from the drilled hole. The vertical ram stroke also automatically releases and rotates the auger into position, latching onto the mast for full stability while in work.

The system utilises a high capacity 250cc hydraulic motor to provide a fast, reliable and capable auger combination. Perfect for use in difficult ground conditions, including blue clay, hard pan, sandstone and much more.

The use of Anticlockwise augers allow further stability while drilling and are available with Dig and Rock Pilots in the following sizes:

- 4" (100mm)
- 5" (125mm)
- 6" (150mm)
- 8" (200mm)
- 10" (250mm)



## Torque Drill

For unmatched auger torque, look no further than the Kinghitter torque drill. This unit has a planetary gear drive system, which when paired with the high-capacity hydraulic motor, results in 2300NM of Torque.

To provide full stability when drilling, the torque drill is mounted to the Rockspike Extractor Kit. This also provides the option of adding a rockspike, or hydraulic positioner, which pivots it in & out of position using a hydraulic ram.

Anticlockwise, hardened augers complete the Torque Drill setup, with the option of hard faced or tungsten rock pilots to suit.

These are:

- 4" (100mm)
- 6" (150mm)
- 8" (200mm)
- 10" (250mm)





## Rock Spike Kit

The Rockspike Kit is a common option in extremely rocky ground. The system positions a solid steel spike underneath the hammer, which is then driven into the ground, smashing through rocks and creating a pilot hole for the post. The 8 Tonne of lifting force from the rock spike extractor ram provides the necessary power to extract the spike out of the ground.

Choose between a manual positioning system or add the hydraulic positioner option to rotate the rockspike in and out of position via the valve bank controls.

Rockspikes are available in two different sizes:

- 90mm
- 130mm



## Rockspike/ Auger Combo

Get the ultimate versatility with the rockspike/auger combo. This package utilises the rockspike extractor kit and allows the mounting of either the rockspike shroud or auger motor, providing a solution to any ground condition.

## Accessory Options and Pricing

	Product Code	Description	Add Valves
Rockspike	KAR2	Manual Positioning Rockspike Extractor	1
	KAR2R	Hydraulic Positioning Rockspike Extractor	2
	KART90K	90mm Rockspike	-
	KART130K	130mm Rockspike	-
Auger	KAA2A	Auto Latch Auger Kit	2
	KAE3H	3" Anti-Clockwise Auger	-
	KAE4H	4" Anti-Clockwise Auger	-
	KAE5H	5" Anti-Clockwise Auger	-
	KAE6H	6" Anti-Clockwise Auger	-
	KAE8H	8" Anti-Clockwise Auger	-
Rockspike + Auger	KAR2 & KAC2	Manual Positioning Extractor/Auger Combo (Excl Rockspike & Augers)	2
	KAR2K & KAL2	Hydraulic Positioning Extractor/Auger Combo (Excl Rockspike & Augers)	3
Torque Drill	KAR2 & KADT	Manual Positioning Extractor/Torque Drill Combo (Excl Rockspike & Augers)	2
	KAR2R & KADT	Hydraulic Positioning Extractor/Torque Drill Combo (Excl Rockspike & Augers)	3
	KADL100	100mm Anticlockwise Rock Auger	-
	KADL150	150mm Anticlockwise Rock Auger	-
	KADL200	200mm Anticlockwise Rock Auger	-
	KADL250	250mm Anticlockwise Rock Auger	-
Valves	KVD	Additional Valves	-

# Tools

## “The Choice of Champions”

The range of speedfencing tools were designed alongside champion fencer Wayne Newdick and are still hand made in New Zealand. The spade heads are made using a high boron steel, which makes them stand up to the toughest of New Zealand conditions. All tools are well balanced and ready to make fencing much easier.



Code	Description	RRP (ex gst)
KTS16	Strainer Spade	\$300
KTG12	GP Spade 1230	\$310
KTG13	GP Spade 1350	\$310
KTG15	GP Spade 1550	\$325
KTRL	Long Hand Rammer	\$190
KTRS	Short Hand Rammer	\$170
KTCHC	Tungsten Chipper	\$220
KTBR50	Right Hand Batten Holder	\$160
KTBL50	Left Hand Batten Holder	\$160



# Merchandise



## Kinghitter / Swandri Mariner Sweater

\*Available sizes: M, L, XL

**\$129.99** inc gst



## Kinghitter / Safe-T-Tech Hi-vis Singlet

\*Available sizes: S, M, L, XL

**\$30.00** inc gst



## Kinghitter / U-Flex Cap

**\$35.00** inc gst



# KINGHITTER



**09 482 0866**

**[www.kinghitter.com](http://www.kinghitter.com)**

**[sales@kinghitter.com](mailto:sales@kinghitter.com)**

